INCIDENT RADIO COMMUNICATIONS PLAN			Incident Name			Date/Time Prepared		Operational Period Date/Time		
			Cherohala Challenge 2024			2024-05-27 2135		2024-06-01 0630-1900		
Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode A, D or M	Remarks	
1	TACTICAL	W4YJ	TN NET	145.25000 W	100.0	144.65000 W	100.0	Α	*** LINKED *** Sweetwater	
2	TACTICAL	KK4DKW	TN NET	145.27000 W	127.3	144.67000 W	127.3	Α	*** LINKED *** Blount Co.	
3	TACTICAL	K4LI	NC NET	147.04500 W	151.4	146.44500 W	151.4	Α	Andrews NCNEGATIVE OFFSET	
4										
5										
6		NOTE NEGATIVE OFFSET ON K4AIH REPEATER FOR NORTH CAROLINA NET								
7										
8										
9										
10										
11										
13										
14										
12										
15										
16										
17										
18										
19										
20										
Prepared By (Communications Unit)						cident Location				
Eric Franks, KK4DKW (423-337-1913)					Monroe Co TN, Blount Co TN and Graham Co NC / (Cherohala Skyway and "The Dragon")					

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

ICS 205 Excel 3/2007