

INCIDENT RADIO COMMUNICATIONS PLAN			Incident Name Cherohala Challenge 2025			Date/Time Prepared 2025-06-05		Operational Period Date/Time 2024-06-07 0630-1900	
Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode A, D or M	Remarks
1	TACTICAL	KF4DKW	TN NET	440.800 W	100.0	445.800 W	100.0	A	*** LINKED ***145.270
2	TACTICAL	KK4DKW	TN NET	145.27000 W	127.3	144.67000 W	127.3	A	*** LINKED *** 440.800
3	TACTICAL	K4LI	NC BACKUP	147.04500 W	151.4	146.44500 W	151.4	A	Andrews NC --NEGATIVE OFFSET--
4	TACTICAL		TN BACKUP	145.25000 W	100.0	144.65000 W	100.0	A	BACKUP REPEATER
5									
6	-----NOTE NEGATIVE OFFSET ON K4AIH REPEATER FOR NORTH CAROLINA NET-----								
7									
8									
9									
10									
11									
13									
14									
12									
15									
16									
17									
18									
19									
20									
Prepared By (Communications Unit) Eric Franks, KK4DKW (423-337-1913)					Incident Location Monroe Co TN, Blount Co TN and Graham Co NC / (Cherohala Skyway and "The Dragon")				

The convention calls for frequency lists to show four digits after the decimal place, followed by either an “N” or a “W”, depending on whether the frequency is narrow or wide band. Mode refers to either “A” or “D” indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

